

| QTY | ITEM | DESCRIPTION |
|-----|-----------------------------------|--|
| 1 | STARTER DRIVE | Ford 4" 10-T, CW, 4-SPL |
| 23 | BUSHING, D.E. | Ford 4-1/2 in. DD Starters |
| 24 | BUSHING, D.E., C.E. | Ford 4" & Mod, 4-1/2" & Mod DD, PMGR & Noseless Starters |
| 28 | BUSHING, D.E., C.E. (1X) UNDER | Ford 4" & Mod, 4-1/2" & Mod DD, PMGR & Noseless Starters |
| 9 | BUSHING, D.E., C.E. (2X) UNDER | Ford 4" & Mod, 4-1/2" & Mod DD, PMGR & Noseless Starters |
| 16 | BUSHING, D.E., C.E. (3X) UNDER | Ford 4" & Mod, 4-1/2" & Mod DD, PMGR & Noseless Starters |
| 25 | BUSHING, D.E., C.E. (4X) UNDER | Ford 4" & Mod, 4-1/2" & Mod DD, PMGR & Noseless Starter |
| 29 | BUSHING, D.E. | Ford 4 in. DD Starters |
| 20 | BUSHING, C.E. | Ford 4-1/2 in. DD Starters |
| 2 | BUSHING, C.E. (1X) UNDER | Ford 4-1/2 in. DD Starters |
| 10 | BUSHING, C.E. (2X) UNDER | Ford 4-1/2 in. DD Starters |
| 21 | BUSHING, C.E. | Ford 4 in. Mod, 4-1/2 in., 4-1/2 in. Mod DD Starters |
| 30 | BUSHING, C.E. (1X) UNDER | Ford 4 in. Mod, 4-1/2 in., 4-1/2 in. Mod DD Starters |
| 17 | BUSHING, C.E. | Ford 4 in. DD Starters |
| 15 | BRUSH, GROUND 12V | Ford 4 in. DD Starters |
| 7 | BRUSH, FIELD 12V | Ford 4 in. DD Starters |
| 11 | BRUSH, GROUND 12V | Ford 4-1/2 in. DD Starters |
| 12 | BRUSH, GROUND 12V | Ford 4-1/2 in. DD Starters |
| 4 | BRUSH, FIELD 12V W/CLIP | Ford 4-1/2 in. DD Starters |
| 2 | BRUSH, FIELD 12V | Ford 4-1/2 in. DD Starters |
| 10 | BRUSH, GROUND 12V | Ford 4" Mod I, 4-1/2 in. Mod DD Starters |
| 3 | BRUSH, FIELD 12V | Ford 4" Mod I, 4-1/2 in. Mod DD Starters |
| 6 | BRUSH, GROUND 12V | Ford 4 in. Mod II DD Starters |
| 18 | BRUSH, GROUND 12V | Ford 4 in. Mod II DD Starters |
| 5 | BRUSH, FIELD 12V | Ford 4 in. Mod II DD Starters |
| 12 | BRUSH, GROUND 12V | Ford 4-1/2 in. DD Starters |
| 2 | BRUSH HOLDER | Ford 4 in. Mod I; 4-1/2 in. Mod I, Mod II DD Starters |
| 5 | BRUSH HOLDER | Ford 4 in. Mod II* DD Starters |
| 5 | BRUSH HOLDER | Ford 4 in. Mod II* DD Starters |
| 89 | SPRING, BRUSH | Ford 4 in. Mod I, Mod II; 4-1/2 in. Mod I, Mod II; OSGR Starters |
| 48 | SPRING, BRUSH | Ford 4 in. DD Starters |
| 6 | GASKET, SHIFT LEVER COVER | Ford 4-1/2 in., 4-1/2 in. Mod I DD Starters |
| 28 | GASKET, SHIFT LEVER COVER | Ford 4 in., 4 in. Mod I DD Starters |
| 10 | GASKET, SHIFT LEVER COVER | Ford 4 in. Mod II DD Starters |
| 4 | GROMMET, FIELD COIL | Ford 4", 4" Mod I, 4-1/2". Mod I, 4-1/2" Mod II DD Starters |
| 19 | GROMMET, FIELD COIL | Ford 4 in. Mod II DD Starters |
| 37 | GROMMET, FIELD COIL | Ford 4 in. Mod II DD Starters |
| 36 | SEAL, SHIFT LEVER | Ford 4" Mod II, 4-1/2". Mod II DD Starters |

| | | |
|-----|------------------------------|---|
| | COVER | |
| 94 | INSULATOR, CONTACT POST | Ford 4" DD Starters |
| 88 | INSULATOR, CONTACT POST | Ford 4-1/2" DD Starters |
| 99 | INSULATOR, CONTACT POST | Ford 4-1/2" DD Starters |
| 67 | INSULATOR, CONTACT POST | Ford 4-1/2" DD Starters |
| 5 | INSULATOR, BRUSH HOLDER | Ford 4 in. Mod I, 4-1/2 in. Mod I, 4-1/2 in. Mod II DD Starters |
| 17 | INSULATOR, C.E. BRACKET | Ford 4" MOD I, II, 4-1/2" MOD I, II DD Starters |
| 100 | INSULATOR, CONTACT POST | Ford 4" MOD I DD Starters |
| 100 | INSULATOR, CONTACT POST | Ford 4-1/2" DD Starters |
| 33 | INSULATOR, TERM. POST | Ford 4" DD Starters |
| 7 | INSULATOR, FIELD COIL | Ford 4-1/2", 4-1/2" MOD I, 4-1/2" MOD II DD Starters |
| 9 | INSULATOR, FIELD COIL REPAIR | Ford 4" MOD I, MOD II DD Starters |
| 22 | INSULATOR, TERMINAL POST | Ford 4-1/2" DD Starters |
| 100 | INSULATOR, BRUSH HOLDER | Ford 4-1/2" DD Starters |
| 84 | INSULATOR, CONTACT POST | Ford 4", 4" Mod I, 4-1/2" DD Starters |
| 44 | INSULATOR, CONTACT POST | Ford 4-1/2" Mod I, 4-1/2" Mod II DD Starters |
| 95 | INSULATOR, BRUSH HOLDER | Ford 4" DD Starters |
| 12 | INSULATOR, C.E. BRACKET | Ford 4" MOD I, II, 4-1/2" MOD I, II DD Starters |
| 37 | INSULATOR, CONTACT POST | Ford 4". Mod II DD Starters |
| 7 | COVER, SHIFT LEVER | Ford 4-1/2", 4-1/2" Mod I DD Starters |
| 9 | COVER, SHIFT LEVER | Ford 4", 4" Mod I DD Starters |
| 10 | COVER, SHIFT LEVER | Ford 4" Mod II DD Starters |
| 10 | COVER, SHIFT LEVER | Ford 4-1/2" Mod II DD Starters |
| 10 | COVER, SHIFT LEVER | Ford 4" Mod II DD Starters |
| 18 | COVER, SHIFT LEVER | Ford 4-1/2", 4-1/2" Mod I DD Starters |
| 10 | RETAINING SLEEVE | Ford 4-1/2", 4-1/2" Mod I DD Starters |
| 10 | RETAINING SLEEVE | Ford 4" Mod I, 4" Mod II DD Starters |
| 5 | RETAINING SLEEVE | Ford 4-1/2" Mod II DD Starters |
| 7 | RETAINER, FIELD COIL | Ford 4-1/2", 4-1/2". Mod I, 4-1/2". Mod II DD Starters |
| 10 | RETAINER, FIELD COIL | Ford 4", 4" Mod I, 4" Mod II DD Starters |
| 4 | CONTACT | Ford 4-1/2" DD Starters |
| 8 | CONTACT | Ford 4-1/2" DD Starters |
| 7 | CONTACT | Ford 4-1/2" DD Starters |

| | | |
|-----|-----------------------------------|--|
| | SPRING/BRUSH | |
| 20 | CONTACT | Ford 4-1/2" DD Starters |
| 21 | CONTACT | Ford 4-1/2" DD Starters |
| 4 | CONTACT | Ford 4-1/2" Mod I, 4-1/2 " Mod II DD Starters |
| 19 | CONTACT POST | Ford 4", 4" MOD I DD Starters |
| 8 | CONTACT SPRING/BRUSH | Ford 4", 4" MOD I DD Starters |
| 6 | CONTACT | Ford 4" Mod II DD Starters |
| 36 | CONTACT SPRING | Ford 4" Mod II DD Starters |
| 20 | CONTACT SPRING | Ford 4" Mod I DD Starters |
| 20 | CONTACT | Ford 4" Mod I DD Starters |
| 49 | TERMINAL, CONTACT ASSY | Ford 4" Mod I, 4-1/2" Mod I, 4-1/2" Mod II DD Starters |
| 4 | CONTACT | Ford 4-1/2" Mod I, 4-1/2" Mod II DD Starters |
| 8 | TERMINAL POST | Ford 4-1/2" DD Starters |
| 7 | TERMINAL POST | Ford 4-1/2" DD Starters |
| 40 | TERMINAL, FIELD COIL | Ford 4" Mod I, 4-1/2 in. Mod I, 4-1/2 in. Mod II DD Starters |
| 40 | TERMINAL, FIELD COIL | Ford 4" Mod II DD Starters |
| 57 | SPRING, SHIFT LVR RETURN | Ford 4-1/2" 4-1/2" Mod I, 4-1/2" Mod II DD Starters |
| 80 | SPRING, SHIFT LVR RETURN | Ford 4", 4" Mod I, 4" Mod II DD Starters |
| 153 | RETAINING RING | Ford 4", 4" Mod I, 4" Mod II, 4-1/2", 4-1/2" Mod I, 4-1/2" Mod II DD; OSGR, PMGR Starters |
| 185 | STOP COLLAR, STANDARD | Ford 4", 4" Mod I, 4" Mod II, 4-1/2", 4-1/2" Mod I, 4-1/2" Mod II DD; OSGR, PMGR Starters |
| 2 | STOP COLLAR, STAMPED H.T. | Ford 4", 4" Mod I, 4" Mod II, 4-1/2", 4-1/2" Mod I, 4-1/2" Mod II DD; OSGR, PMGR Starters Stamped & heat-treated |
| 33 | STOP COLLAR, MECH H.T. | Ford 4", 4" Mod I, 4" Mod II, 4-1/2", 4-1/2" Mod I, 4-1/2" Mod II DD; OSGR, PMGR Starters - Machined & heat-treated |
| 68 | CAP, GREASE-D.E. BEARING | Ford 4" Mod I, 4-1/2" Mod I DD Starters |
| 1 | CONTACT KIT | Ford 4-1/2 in. DD Starters |
| 1 | CONTACT KIT | Ford 4-1/2 in. DD Starters |
| 6 | CONTACT KIT | Ford 4-1/2 in. DD Starters |
| 2 | CONTACT KIT | Ford 4-1/2" Mod I & II DD Starters |
| 2 | CONTACT KIT | Ford 4 in. Mod I DD Starters |
| 4 | TERMINAL KIT | Ford 4-1/2 in. DD Starters |
| 79 | SCREW, CONTACT ASSY | Ford Str. 5-40 X 1/2" L |
| 93 | SLOTTED SCREW, CONTACT ASSY | Ford Str. 5-40 X 3/8" L |
| 127 | SLOTTED SCREW, CONTACT ASSY | Ford Str. 5-40 X 5/8" L |
| 98 | SLOTTED SCREW, GRND BRUSH | Ford Str. 6-32 X 3/8" L |
| 95 | SLOTTED SCREW, CONTACT ASSY | Ford Str. 5-40 X 5/8" L |
| 61 | PHILLIPS SCREW, BRUSH MOUNTING | Ford Str. 10-32 X 1/2" L |
| 101 | PHILLIPS SCREW, | Ford Str. 10-32 X 5/8" L |

| | BRUSH MOUNTING | |
|-----|-----------------------------------|--|
| 28 | THRU BOLT, CASING | Ford Str. 1/4-20 X 6-3/8" L |
| 8 | THRU BOLT, CASING W/EXTENSION | Ford Str. 1/4-20 X 6-3/16 L, 1/4-20 X 3/4 L EXT. |
| 4 | THRU BOLT, CASING | Ford Str. 1/4-20 X 6-5/8" L |
| 32 | HEX SCREW, BRUSH HOLDER | Ford Str. 1/4-20 X 7/8" L |
| 65 | PHILLIPS SCREW, POLE SHOE | Ford Str. 7/16-14 X 5/8" L |
| 155 | HEX NUT, CONTACT ASSEMBLY | Ford Str. 5-40 X 1/4 X 3/32 T |
| 82 | SQUARE NUT, COVER BAND | Ford Str. 10-32 X 3/8 F X 1/8 T |
| 87 | HEX NUT, FIELD TERMINAL POST | Ford Str. 5/16-24 X 1/2 F X 3/16 T |
| 36 | HEX NUT, FIELD TERMINAL POST | Ford Str. 3/8-16 X 5/8 F X 1/4 T |
| 162 | RIVET, GROUND BRUSH MOUNTING | Ford Str. 1/8" X 13/32" L |
| 115 | RIVET, CONTACT ASSEMBLY | Ford Str. 1/8 D X 1/4" L |
| 297 | RIVET, BRUSH HOLDER MOUNTING | Ford Str. 1/8 D X 3/8" L |
| 71 | RIVET, CONTACT ASSEMBLY | Ford Str. 1/8 D X 1/2" L |
| 113 | RIVET, CONTACT ASSEMBLY | Ford Str. 1/8" X 13/32" L |
| 94 | RIVET, CONTACT ASSEMBLY | Ford Str. 1/8" DIAMETER X 9/16" L, 9/32" HEAD OD |
| 100 | RIVET, CONTACT ASSEMBLY | Ford Str. 1/8 D X 17/32 L, GRIP RANGE 7/16 |
| 335 | LOCK WASHER, CONTACT ASSEMBLY | Ford Str. #6 ID X 1/4 OD X .037 T |
| 239 | LOCK WASHER, CONTACT ASSEMBLY | Ford Str. #6 ID X 1/4 OD X .037 T |
| 135 | FLAT WASHER, FIELD TERMINAL | Ford Str. 5/16 ID X 11/16 OD X .059 T |
| 91 | CONICAL WASHER, FIELD TERMINAL | Ford Str. 5/16 ID X 11/16 OD X .031 T |
| 19 | THRUST WASHER, ARMATURE D.E. | Ford Str. 15/32 ID X 21/32 X .035 T |
| 34 | THRUST WASHER, ARMATURE D.E. | Ford Str. 1/2 ID X 21/32 OD X .040 T |
| 138 | THRUST WASHER, ARMATURE D.E. | Ford Str. 3/4 ID X 1-7/16 OD X .010 T |
| 80 | FLAT WASHER, FIELD COIL TERM. | Ford Str. 5/16 ID X 11/16 OD X .031 T |
| 121 | SOLID PIN, SHIFT LEVER PIVOT | Ford Str. 1/4 OD X 13/16 |
| 47 | PIN, SHIFT LEVER PIVOT | Ford Str. 1/4 OD X 11/16" L |
| 36 | SPLIT ROLL PIN, RED. | Ford Str. 5/32 OD X 7/8" L |

| | GEAR SHAFT | |
|-----|-----------------------------------|--------------------------------------|
| 133 | INSULATED WASHER, CONTACT ASSY | Ford Str. #5 ID X 3/8 OD X .067 T |
| 64 | INSULATED WASHER, FIELD TERM. | Ford Str. 5/16 ID X 3/4 OD X .060 T |
| 28 | BRAKE WASHER, ARMATURE C.E | Ford Str. 5/8 ID X 1-3/8 OD X .110 T |
| 511 | FIBER WASHER, ARMATURE C.E. | Ford Str. 5/8 ID X 1-1/8 OD X .032 T |